

```

pixfirewall# conf t
pixfirewall(config)# access-list
Not enough arguments.
Usage: [no] access-list compiled
[no] access-list deny-flow-max <n>
[no] access-list alert-interval <secs>
[no] access-list <id> compiled
[no] access-list <id> [line <line-num>] remark <text>
[no] access-list <id> [line <line-num>] deny|permit
      <protocol>|object-group <protocol_obj_grp_id>
      <sip> <smask> | interface <if_name> | object-group
<network_obj_grp_id>
      [<operator> <port> [<port>] | object-group
<service_obj_grp_id>]
      <dip> <dmask> | interface <if_name> | object-group
<network_obj_grp_id>
      [<operator> <port> [<port>] | object-group
<service_obj_grp_id>]
      [log [disable|default] | [<level>] [interval <secs>]]
[no] access-list <id> [line <line-num>] deny|permit icmp
      <sip> <smask> | interface <if_name> | object-group
<network_obj_grp_id>
      <dip> <dmask> | interface <if_name> | object-group
<network_obj_grp_id>
      [<icmp_type> | object-group <icmp_type_obj_grp_id>]
      [log [disable|default] | [<level>] [interval <secs>]]
Restricted ACLs for route-map use:
[no] access-list <id> deny|permit {any | <prefix> <mask> | host
<address>}
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# access-list aclnavig deny ip
ERROR: missing command argument(s)
Usage: [no] access-list compiled
[no] access-list deny-flow-max <n>
[no] access-list alert-interval <secs>
[no] access-list <id> compiled
[no] access-list <id> [line <line-num>] remark <text>
[no] access-list <id> [line <line-num>] deny|permit
      <protocol>|object-group <protocol_obj_grp_id>
      <sip> <smask> | interface <if_name> | object-group
<network_obj_grp_id>
      [<operator> <port> [<port>] | object-group
<service_obj_grp_id>]
      <dip> <dmask> | interface <if_name> | object-group
<network_obj_grp_id>
      [<operator> <port> [<port>] | object-group
<service_obj_grp_id>]
      [log [disable|default] | [<level>] [interval <secs>]]
[no] access-list <id> [line <line-num>] deny|permit icmp
      <sip> <smask> | interface <if_name> | object-group
<network_obj_grp_id>
      <dip> <dmask> | interface <if_name> | object-group
<network_obj_grp_id>
      [<icmp_type> | object-group <icmp_type_obj_grp_id>]
      [log [disable|default] | [<level>] [interval <secs>]]
Restricted ACLs for route-map use:
[no] access-list <id> deny|permit {any | <prefix> <mask> | host
<address>}
pixfirewall(config)# access-list aclnavig deny ip host 192.168.10.100
any
pixfirewall(config)# sh run
: Saved

```

```
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 137.204.58.43 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
pixfirewall(config)# access-group aclnavig in interf ins
pixfirewall(config)# sh logg
Syslog logging: enabled
    Facility: 20
    Timestamp logging: disabled
    Standby logging: disabled
    Console logging: disabled
    Monitor logging: disabled
    Buffer logging: level debugging, 8306 messages logged
    Trap logging: disabled
    History logging: disabled
    Device ID: disabled
37 to outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.147/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.97.175/49687 to
outside:255.255.255.255/2222
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 0.0.0.0/68 to
```

outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
305012: Teardown dynamic TCP translation from  
inside:192.168.10.100/1312 to outside:137.204.58.43/1282 duration  
0:01:50  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 192.168.10.100/137 to  
inside:192.168.10.255/netbios-ns  
710005: UDP request discarded from 192.168.10.100/137 to  
inside:192.168.10.255/netbios-ns  
710005: UDP request discarded from 137.204.58.83/138 to  
outside:137.204.58.255/netbios-dgm  
710005: UDP request discarded from 192.168.10.100/137 to  
inside:192.168.10.255/netbios-ns  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.58.138/631 to  
outside:137.204.58.255/631  
710005: UDP request discarded from 137.204.63.101/1040 to  
outside:255.255.255.255/1947  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.63.238/1026 to  
outside:255.255.255.255/1947  
106023: Deny tcp src inside:192.168.10.100/1316 dst  
outside:195.62.164.242/80 by access-group "aclnavig"  
106023: Deny tcp src inside:192.168.10.100/1316 dst  
outside:195.62.164.242/80 by access-group "aclnavig"  
106023: Deny tcp src inside:192.168.10.100/1316 dst  
outside:195.62.164.242/80 by access-group "aclnavig"  
710005: UDP request discarded from 137.204.62.138/1041 to  
outside:255.255.255.255/1947  
106023: Deny tcp src inside:192.168.10.100/1316 dst  
outside:195.62.164.242/80 by access-group "aclnavig"  
106023: Deny tcp src inside:192.168.10.100/1316 dst  
outside:195.62.164.242/80 by access-group "aclnavig"  
710005: UDP request discarded from 137.204.61.94/49841 to  
outside:255.255.255.255/2223  
106023: Deny tcp src inside:192.168.10.100/1316 dst  
outside:195.62.164.242/80 by access-group "aclnavig"  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.61.94/49842 to  
outside:255.255.255.255/2223  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.58.206/138 to  
outside:137.204.58.255/netbios-dgm  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.61.184/1031 to  
outside:255.255.255.255/1947

```
710005: UDP request discarded from 0.0.0.0/68 to
outside:255.255.255.255/bootps
710005: UDP request discarded from 137.204.58.89/138 to
outside:137.204.58.255/netbios-dgm
710005: UDP request discarded from 0.0.0.0/68 to
outside:255.255.255.255/bootps
710005: UDP request discarded from 137.204.63.206/1951 to
outside:255.255.255.255/1234
710005: UDP request discarded from 137.204.58.206/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.206/137 to
outside:137.204.58.255/netbios-ns
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# show access-list
access-list cached ACL log flows: total 0, denied 0 (deny-flow-max
256)
                alert-interval 300
access-list aclnavig; 1 elements
access-list aclnavig line 1 deny ip host 192.168.10.100 any (hitcnt=
11)
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
pixfirewall(config)# access-list aclnavig permit ip host
192.168.10.100 any
pixfirewall(config)#
```

```
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
  Facility: 20
  Timestamp logging: disabled
  Standby logging: disabled
  Console logging: disabled
  Monitor logging: disabled
  Buffer logging: level debugging, 8739 messages logged
  Trap logging: disabled
  History logging: disabled
  Device ID: disabled
37.204.58.93/137 to outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.57/137 to
outside:137.204.58.255/netbios-ns
106023: Deny udp src inside:192.168.10.100/17205 dst
outside:151.99.125.2/53 by access-group "aclnavig"
710005: UDP request discarded from 137.204.58.110/138 to
outside:137.204.58.255/netbios-dgm
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 0.0.0.0/68 to
outside:255.255.255.255/bootps
710005: UDP request discarded from 0.0.0.0/68 to
outside:255.255.255.255/bootps
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.83/137 to
outside:137.204.58.255/netbios-ns
106023: Deny udp src inside:192.168.10.100/17205 dst
outside:151.99.125.2/53 by access-group "aclnavig"
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.83/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.61.94/49850 to
outside:255.255.255.255/2223
710005: UDP request discarded from 137.204.63.206/1951 to
outside:255.255.255.255/1234
710005: UDP request discarded from 137.204.58.83/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/138 to
outside:137.204.58.255/netbios-dgm
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.171/137 to
outside:137.204.58.255/netbios-ns
106023: Deny udp src inside:192.168.10.100/17205 dst
outside:151.99.125.2/53 by access-group "aclnavig"
710005: UDP request discarded from 137.204.58.171/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.171/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.171/137 to
```

```
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.63.206/1951 to
outside:255.255.255.255/1234
710005: UDP request discarded from 137.204.58.93/138 to
outside:137.204.58.255/netbios-dgm
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.171/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.171/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 0.0.0.0/68 to
outside:255.255.255.255/bootps
710005: UDP request discarded from 0.0.0.0/68 to
outside:255.255.255.255/bootps
710005: UDP request discarded from 137.204.58.93/138 to
outside:137.204.58.255/netbios-dgm
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.63.206/1951 to
outside:255.255.255.255/1234
710005: UDP request discarded from 192.168.10.100/137 to
inside:192.168.10.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.165/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 192.168.10.100/137 to
inside:192.168.10.255/netbios-ns
710005: UDP request discarded from 0.0.0.0/68 to
outside:255.255.255.255/bootps
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 192.168.10.100/137 to
inside:192.168.10.255/netbios-ns
pixfirewall(config)# sh log
Syslog logging: enabled
    Facility: 20
    Timestamp logging: disabled
    Standby logging: disabled
    Console logging: disabled
    Monitor logging: disabled
    Buffer logging: level debugging, 8803 messages logged
    Trap logging: disabled
    History logging: disabled
    Device ID: disabled
204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.63.101/1040 to
outside:255.255.255.255/1947
710005: UDP request discarded from 137.204.58.96/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.182/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.96/138 to
outside:137.204.58.255/netbios-dgm
710005: UDP request discarded from 137.204.58.93/138 to
```

outside:137.204.58.255/netbios-dgm  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.138/631 to  
outside:137.204.58.255/631  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.63.238/1026 to  
outside:255.255.255.255/1947  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.63.104/138 to  
outside:255.255.255.255/netbios-dgm  
710005: UDP request discarded from 137.204.63.104/138 to  
outside:255.255.255.255/netbios-dgm  
710005: UDP request discarded from 137.204.58.80/138 to  
outside:137.204.58.255/netbios-dgm  
710005: UDP request discarded from 137.204.58.80/138 to  
outside:137.204.58.255/netbios-dgm  
710005: UDP request discarded from 137.204.63.104/138 to  
outside:255.255.255.255/netbios-dgm  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.93/138 to  
outside:137.204.58.255/netbios-dgm  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.62.138/1041 to  
outside:255.255.255.255/1947  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.93/137 to  
outside:137.204.58.255/netbios-ns  
106023: Deny udp src inside:192.168.10.100/14419 dst  
outside:151.99.125.2/53 by access-group "aclnavig"  
710005: UDP request discarded from 137.204.63.206/1951 to

```
outside:255.255.255.255/1234
106023: Deny udp src inside:192.168.10.100/14419 dst
outside:151.99.125.2/53 by access-group "aclnavig"
710005: UDP request discarded from 137.204.58.93/138 to
outside:137.204.58.255/netbios-dgm
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
106023: Deny udp src inside:192.168.10.100/14419 dst
outside:151.99.125.2/53 by access-group "aclnavig"
710005: UDP request discarded from 137.204.58.93/137 to
outside:137.204.58.255/netbios-ns
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
access-list aclnavig permit ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
pixfirewall(config)# no access-list aclnavig
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
```



```
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 137.204.58.43 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
aaa-server LOCAL protocol local
no snmp-server location
no snmp-server contact
pixfirewall(config)# access-list aclnavig permit ip host
192.168.10.100 any
pixfirewall(config)# access-list aclnavig deny ip host 192.168.10.100
any
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
```

```
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig permit ip host 192.168.10.100 any
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
pixfirewall(config)# no access-list aclnavig
pixfirewall(config)# access-list aclnavig deny ip host 192.168.10.100
any
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 137.204.58.43 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
```

```
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 137.204.58.43 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
aaa-server LOCAL protocol local
no snmp-server location
no snmp-server contact
snmp-server community public
no snmp-server enable traps
floodguard enable
telnet timeout 5
ssh timeout 5
console timeout 0
dhcpd address 192.168.10.100-192.168.10.105 inside
dhcpd dns 151.99.125.2
dhcpd lease 3600
dhcpd ping_timeout 750
dhcpd enable inside
terminal width 80
Cryptochecksum:850589341658e20fee3b4f44d5cb73d9
: end
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
```

```
pixfirewall(config)# access-group aclnavig in interf ins
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 137.204.58.43 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
access-group aclnavig in interface inside
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
aaa-server LOCAL protocol local
pixfirewall(config)# sh log
Syslog logging: enabled
  Facility: 20
  Timestamp logging: disabled
  Standby logging: disabled
  Console logging: disabled
  Monitor logging: disabled
  Buffer logging: level debugging, 10279 messages logged
  Trap logging: disabled
  History logging: disabled
  Device ID: disabled
204.58.255/netbios-ns
```

710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.138/631 to  
outside:137.204.58.255/631  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.97.175/49709 to  
outside:255.255.255.255/2222  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.182/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.63.101/1040 to  
outside:255.255.255.255/1947  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.63.238/1026 to  
outside:255.255.255.255/1947  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.58.171/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
710005: UDP request discarded from 137.204.62.138/1041 to  
outside:255.255.255.255/1947  
710005: UDP request discarded from 137.204.58.171/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 137.204.58.171/137 to  
outside:137.204.58.255/netbios-ns  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
710005: UDP request discarded from 0.0.0.0/68 to  
outside:255.255.255.255/bootps  
106023: Deny tcp src inside:192.168.10.100/1425 dst  
outside:213.92.95.18/80 by access-group "aclnavig"  
106023: Deny tcp src inside:192.168.10.100/1425 dst  
outside:213.92.95.18/80 by access-group "aclnavig"  
106023: Deny tcp src inside:192.168.10.100/1425 dst  
outside:213.92.95.18/80 by access-group "aclnavig"  
710005: UDP request discarded from 137.204.61.94/49863 to  
outside:255.255.255.255/2223  
710005: UDP request discarded from 137.204.63.206/1951 to  
outside:255.255.255.255/1234  
106023: Deny tcp src inside:192.168.10.100/1425 dst  
outside:213.92.95.18/80 by access-group "aclnavig"  
710005: UDP request discarded from 137.204.58.162/138 to  
outside:137.204.58.255/netbios-dgm

```
106023: Deny tcp src inside:192.168.10.100/1425 dst
outside:213.92.95.18/80 by access-group "aclnavig"
pixfirewall(config)# sh xlate
6 in use, 217 most used
PAT Global 137.204.58.43(1387) Local 192.168.10.100(1424)
PAT Global 137.204.58.43(1299) Local 192.168.10.100(1333)
PAT Global 137.204.58.43(1302) Local 192.168.10.100(1336)
PAT Global 137.204.58.43(1303) Local 192.168.10.100(1337)
PAT Global 137.204.58.43(1300) Local 192.168.10.100(1334)
PAT Global 137.204.58.43(1294) Local 192.168.10.100(1328)
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# route
Not enough arguments.
Usage: [no] route <if_name> <foreign_ip> <mask> <gateway> [<metric>]
pixfirewall(config)# no access-group aclnavig in interf ins
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 137.204.58.43 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
```

```
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
aaa-server LOCAL protocol local
no snmp-server location
no snmp-server contact
snmp-server community public
no snmp-server enable traps
floodguard enable
telnet timeout 5
ssh timeout 5
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# wr
Not enough arguments.
Usage: write erase|floppy|mem|terminal|standby
        write net [<tftp_ip>]:<filename>
pixfirewall(config)# wr mem
Building configuration...
Cryptochecksum: dc59620f 55d52a66 e478d7c5 7c7ac5b2
[OK]
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
pager lines 24
logging on
logging buffered debugging
```

```

icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 137.204.58.43 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
pixfirewall(config)# ip address outside 220.30.40.1 255.255.255.0
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# static (inside, outside) 220.30.40.10
192.168.10.100
pixfirewall(config)# no static (inside, outside) 220.30.40.10
192.168.10.100
pixfirewall(config)# static (inside, outside) 220.30.40.10
192.168.10.101
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# access-list acl_out permit ip any 220.30.40.10
ERROR: missing command argument(s)
Usage: [no] access-list compiled
[no] access-list deny-flow-max <n>
[no] access-list alert-interval <secs>
[no] access-list <id> compiled
[no] access-list <id> [line <line-num>] remark <text>
[no] access-list <id> [line <line-num>] deny|permit
    <protocol>|object-group <protocol_obj_grp_id>
    <sip> <smask> | interface <if_name> | object-group
<network_obj_grp_id>
    [<operator> <port> [<port>] | object-group
<service_obj_grp_id>]
    <dip> <dmask> | interface <if_name> | object-group
<network_obj_grp_id>
    [<operator> <port> [<port>] | object-group
<service_obj_grp_id>]
    [log [disable|default] | [<level>] [interval <secs>]]
[no] access-list <id> [line <line-num>] deny|permit icmp
    <sip> <smask> | interface <if_name> | object-group
<network_obj_grp_id>
    <dip> <dmask> | interface <if_name> | object-group
<network_obj_grp_id>
    [<icmp_type> | object-group <icmp_type_obj_grp_id>]
    [log [disable|default] | [<level>] [interval <secs>]]
Restricted ACLs for route-map use:
[no] access-list <id> deny|permit {any | <prefix> <mask> | host
<address>}
pixfirewall(config)# access-list acl_out permit ip any host
220.30.40.10
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#

```



```
pixfirewall(config)#
pixfirewall(config)# sh xlate
64 in use, 217 most used
PAT Global 220.30.40.1(1110) Local 192.168.10.101(1740)
PAT Global 220.30.40.1(1094) Local 192.168.10.101(1724)
PAT Global 220.30.40.1(1078) Local 192.168.10.101(1705)
PAT Global 220.30.40.1(1062) Local 192.168.10.101(1689)
PAT Global 137.204.58.43(1406) Local 192.168.10.100(1445)
PAT Global 220.30.40.1(1095) Local 192.168.10.101(1725)
PAT Global 220.30.40.1(1079) Local 192.168.10.101(1706)
PAT Global 220.30.40.1(1063) Local 192.168.10.101(1690)
PAT Global 137.204.58.43(1405) Local 192.168.10.100(1444)
PAT Global 137.204.58.43(1122) Local 192.168.10.101(50462)
PAT Global 220.30.40.1(1108) Local 192.168.10.101(1738)
PAT Global 220.30.40.1(1092) Local 192.168.10.101(1722)
PAT Global 220.30.40.1(1076) Local 192.168.10.101(1703)
PAT Global 220.30.40.1(1060) Local 192.168.10.101(1687)
PAT Global 220.30.40.1(1109) Local 192.168.10.101(1739)
PAT Global 220.30.40.1(1093) Local 192.168.10.101(1723)
PAT Global 220.30.40.1(1077) Local 192.168.10.101(1704)
PAT Global 220.30.40.1(1061) Local 192.168.10.101(1688)
PAT Global 220.30.40.1(1106) Local 192.168.10.101(1736)
PAT Global 220.30.40.1(1090) Local 192.168.10.101(1720)
PAT Global 220.30.40.1(1074) Local 192.168.10.101(1701)
PAT Global 220.30.40.1(1058) Local 192.168.10.101(1685)
PAT Global 220.30.40.1(1107) Local 192.168.10.101(1737)
PAT Global 220.30.40.1(1091) Local 192.168.10.101(1721)
PAT Global 220.30.40.1(1075) Local 192.168.10.101(1702)
PAT Global 220.30.40.1(1059) Local 192.168.10.101(1686)
PAT Global 220.30.40.1(1104) Local 192.168.10.101(1734)
PAT Global 220.30.40.1(1088) Local 192.168.10.101(1718)
PAT Global 220.30.40.1(1072) Local 192.168.10.101(1699)
PAT Global 220.30.40.1(1056) Local 192.168.10.101(1683)
PAT Global 137.204.58.43(1414) Local 192.168.10.101(1567)
PAT Global 137.204.58.43(1413) Local 192.168.10.101(1563)
PAT Global 137.204.58.43(1416) Local 192.168.10.101(1569)
PAT Global 220.30.40.1(1105) Local 192.168.10.101(1735)
PAT Global 220.30.40.1(1089) Local 192.168.10.101(1719)
PAT Global 220.30.40.1(1073) Local 192.168.10.101(1700)
PAT Global 220.30.40.1(1057) Local 192.168.10.101(1684)
PAT Global 220.30.40.1(1102) Local 192.168.10.101(1732)
PAT Global 220.30.40.1(1086) Local 192.168.10.101(1716)
PAT Global 220.30.40.1(1070) Local 192.168.10.101(1697)
PAT Global 220.30.40.1(1103) Local 192.168.10.101(1733)
PAT Global 220.30.40.1(1087) Local 192.168.10.101(1717)
PAT Global 220.30.40.1(1071) Local 192.168.10.101(1698)
PAT Global 220.30.40.1(1055) Local 192.168.10.101(1682)
PAT Global 220.30.40.1(1100) Local 192.168.10.101(1730)
PAT Global 220.30.40.1(1084) Local 192.168.10.101(1714)
PAT Global 220.30.40.1(1068) Local 192.168.10.101(1695)
Global 220.30.40.10 Local 192.168.10.101
PAT Global 220.30.40.1(1101) Local 192.168.10.101(1731)
PAT Global 220.30.40.1(1085) Local 192.168.10.101(1715)
PAT Global 220.30.40.1(1069) Local 192.168.10.101(1696)
PAT Global 220.30.40.1(1098) Local 192.168.10.101(1728)
PAT Global 220.30.40.1(1082) Local 192.168.10.101(1709)
PAT Global 220.30.40.1(1066) Local 192.168.10.101(1693)
PAT Global 220.30.40.1(1099) Local 192.168.10.101(1729)
PAT Global 220.30.40.1(1083) Local 192.168.10.101(1713)
PAT Global 220.30.40.1(1067) Local 192.168.10.101(1694)
PAT Global 220.30.40.1(1096) Local 192.168.10.101(1726)
PAT Global 220.30.40.1(1080) Local 192.168.10.101(1707)
PAT Global 220.30.40.1(1064) Local 192.168.10.101(1691)
PAT Global 220.30.40.1(1097) Local 192.168.10.101(1727)
```

```
PAT Global 220.30.40.1(1081) Local 192.168.10.101(1708)
PAT Global 220.30.40.1(1065) Local 192.168.10.101(1692)
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# wr mem
Building configuration...
Cryptochecksum: 2d0f1430 3338398e 2e9ec9ec cel7afcl
[OK]
pixfirewall(config)# sh log
Syslog logging: enabled
  Facility: 20
  Timestamp logging: disabled
  Standby logging: disabled
  Console logging: disabled
  Monitor logging: disabled
  Buffer logging: level debugging, 12149 messages logged
  Trap logging: disabled
  History logging: disabled
  Device ID: disabled
.16.241.20/61213 to inside:192.168.10.101/1743 duration 0:02:01 bytes
0 SYN Timeout
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1731 to outside:220.30.40.1/1101 duration
0:02:07
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1732 to outside:220.30.40.1/1102 duration
0:02:06
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1733 to outside:220.30.40.1/1103 duration
0:02:06
302013: Built outbound TCP connection 803 for
outside:82.143.219.55/45751 (82.143.219.55/45751) to
inside:192.168.10.101/1841 (220.30.40.10/1841)
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
302013: Built outbound TCP connection 804 for
outside:82.249.162.113/80 (82.249.162.113/80) to
inside:192.168.10.101/1842 (220.30.40.10/1842)
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
302014: Teardown TCP connection 704 for outside:87.118.167.241/80 to
inside:192.168.10.101/1744 duration 0:02:01 bytes 0 SYN Timeout
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1734 to outside:220.30.40.1/1104 duration
0:02:06
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1735 to outside:220.30.40.1/1105 duration
0:02:06
302013: Built outbound TCP connection 805 for
outside:90.1.183.65/58823 (90.1.183.65/58823) to
inside:192.168.10.101/1843 (220.30.40.10/1843)
106001: Inbound TCP connection denied from 220.30.40.100/1468 to
220.30.40.10/80 flags SYN on interface outside
302013: Built outbound TCP connection 806 for
outside:88.189.32.109/80 (88.189.32.109/80) to
inside:192.168.10.101/1844 (220.30.40.10/1844)
```

```
302013: Built outbound TCP connection 807 for
outside:82.143.219.55/443 (82.143.219.55/443) to
inside:192.168.10.101/1845 (220.30.40.10/1845)
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
302014: Teardown TCP connection 705 for outside:86.16.241.20/443 to
inside:192.168.10.101/1745 duration 0:02:01 bytes 0 SYN Timeout
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1736 to outside:220.30.40.1/1106 duration
0:02:07
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1737 to outside:220.30.40.1/1107 duration
0:02:06
710005: UDP request discarded from 220.30.40.100/138 to
outside:220.30.40.255/netbios-dgm
710005: UDP request discarded from 220.30.40.100/138 to
outside:220.30.40.255/netbios-dgm
710005: UDP request discarded from 220.30.40.100/138 to
outside:220.30.40.255/netbios-dgm
302013: Built outbound TCP connection 808 for outside:90.1.183.65/443
(90.1.183.65/443) to inside:192.168.10.101/1846 (220.30.40.10/1846)
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1738 to outside:220.30.40.1/1108 duration
0:02:07
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1739 to outside:220.30.40.1/1109 duration
0:02:06
305012: Teardown dynamic TCP translation from
inside:192.168.10.101/1740 to outside:220.30.40.1/1110 duration
0:02:06
302013: Built outbound TCP connection 809 for
outside:82.143.219.55/80 (82.143.219.55/80) to
inside:192.168.10.101/1847 (220.30.40.10/1847)
302013: Built outbound TCP connection 810 for
outside:85.238.178.193/20462 (85.238.178.193/20462) to
inside:192.168.10.101/1848 (220.30.40.10/1848)
302014: Teardown TCP connection 706 for outside:86.16.241.20/80 to
inside:192.168.10.101/1746 duration 0:02:02 bytes 0 SYN Timeout
302013: Built outbound TCP connection 811 for outside:90.1.183.65/80
(90.1.183.65/80) to inside:192.168.10.101/1849 (220.30.40.10/1849)
106001: Inbound TCP connection denied from 220.30.40.100/1468 to
220.30.40.10/80 flags SYN on interface outside
302013: Built outbound TCP connection 812 for
outside:85.238.178.193/443 (85.238.178.193/443) to
inside:192.168.10.101/1850 (220.30.40.10/1850)
302013: Built outbound TCP connection 813 for
outside:85.238.178.193/80 (85.238.178.193/80) to
inside:192.168.10.101/1851 (220.30.40.10/1851)
106001: Inbound TCP connection denied from 220.30.40.100/1468 to
220.30.40.10/80 flags SYN on interface outside
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# access-group acl_out in interf out
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
    Facility: 20
    Timestamp logging: disabled
```

Standby logging: disabled  
Console logging: disabled  
Monitor logging: disabled  
Buffer logging: level debugging, 12280 messages logged  
Trap logging: disabled  
History logging: disabled  
Device ID: disabled

TCP connection 746 for outside:212.5.38.150/80 to  
inside:192.168.10.101/1784 duration 0:02:02 bytes 0 SYN Timeout  
302014: Teardown TCP connection 747 for outside:88.80.110.22/52481 to  
inside:192.168.10.101/1785 duration 0:02:01 bytes 0 SYN Timeout  
710005: UDP request discarded from 220.30.40.100/137 to  
outside:220.30.40.255/netbios-ns  
302013: Built outbound TCP connection 847 for outside:87.2.179.50/80  
(87.2.179.50/80) to inside:192.168.10.101/1884 (220.30.40.10/1884)  
302013: Built inbound TCP connection 848 for  
outside:220.30.40.100/1469 (220.30.40.100/1469) to  
inside:192.168.10.101/80 (220.30.40.10/80)  
304001: 220.30.40.100 Accessed URL 220.30.40.10:/  
302014: Teardown TCP connection 848 for outside:220.30.40.100/1469 to  
inside:192.168.10.101/80 duration 0:00:01 bytes 653 TCP FINs  
710005: UDP request discarded from 220.30.40.100/137 to  
outside:220.30.40.255/netbios-ns  
302013: Built outbound TCP connection 849 for  
outside:212.235.178.245/21178 (212.235.178.245/21178) to  
inside:192.168.10.101/1885 (220.30.40.10/1885)  
302014: Teardown TCP connection 748 for outside:84.238.90.87/80 to  
inside:192.168.10.101/1786 duration 0:02:02 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 850 for outside:147.52.73.92/80  
(147.52.73.92/80) to inside:192.168.10.101/1886 (220.30.40.10/1886)  
302013: Built inbound TCP connection 851 for  
outside:220.30.40.100/1470 (220.30.40.100/1470) to  
inside:192.168.10.101/80 (220.30.40.10/80)  
304001: 220.30.40.100 Accessed URL 220.30.40.10:/  
710005: UDP request discarded from 220.30.40.100/137 to  
outside:220.30.40.255/netbios-ns  
302013: Built outbound TCP connection 852 for  
outside:153.19.199.230/443 (153.19.199.230/443) to  
inside:192.168.10.101/1887 (220.30.40.10/1887)  
302014: Teardown TCP connection 851 for outside:220.30.40.100/1470 to  
inside:192.168.10.101/80 duration 0:00:01 bytes 653 TCP FINs  
302014: Teardown TCP connection 749 for outside:88.80.110.22/443 to  
inside:192.168.10.101/1787 duration 0:02:01 bytes 0 SYN Timeout  
710005: UDP request discarded from 220.30.40.100/137 to  
outside:220.30.40.255/netbios-ns  
302013: Built outbound TCP connection 853 for  
outside:212.235.178.245/443 (212.235.178.245/443) to  
inside:192.168.10.101/1888 (220.30.40.10/1888)  
302013: Built inbound TCP connection 854 for  
outside:220.30.40.100/1471 (220.30.40.100/1471) to  
inside:192.168.10.101/80 (220.30.40.10/80)  
304001: 220.30.40.100 Accessed URL 220.30.40.10:/  
302014: Teardown TCP connection 854 for outside:220.30.40.100/1471 to  
inside:192.168.10.101/80 duration 0:00:01 bytes 653 TCP FINs  
710005: UDP request discarded from 220.30.40.100/137 to  
outside:220.30.40.255/netbios-ns  
302014: Teardown TCP connection 750 for outside:88.80.110.22/80 to  
inside:192.168.10.101/1788 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 855 for  
outside:153.19.199.230/80 (153.19.199.230/80) to  
inside:192.168.10.101/1889 (220.30.40.10/1889)  
302013: Built inbound TCP connection 856 for  
outside:220.30.40.100/1472 (220.30.40.100/1472) to  
inside:192.168.10.101/80 (220.30.40.10/80)

```
304001: 220.30.40.100 Accessed URL 220.30.40.10:/
302014: Teardown TCP connection 856 for outside:220.30.40.100/1472 to
inside:192.168.10.101/80 duration 0:00:01 bytes 653 TCP FINs
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
302013: Built outbound TCP connection 857 for
outside:87.5.197.145/29438 (87.5.197.145/29438) to
inside:192.168.10.101/1890 (220.30.40.10/1890)
302013: Built outbound TCP connection 858 for
outside:212.235.178.245/80 (212.235.178.245/80) to
inside:192.168.10.101/1891 (220.30.40.10/1891)
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
302013: Built outbound TCP connection 859 for
outside:87.5.197.145/443 (87.5.197.145/443) to
inside:192.168.10.101/1892 (220.30.40.10/1892)
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
710005: UDP request discarded from 220.30.40.100/137 to
outside:220.30.40.255/netbios-ns
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# wr mem
Building configuration...
Cryptochecksum: c28e93e5 aa4c29d6 7dd630c5 b34e6e5d
[OK]
pixfirewall(config)# clear xlate
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
    Facility: 20
    Timestamp logging: disabled
    Standby logging: disabled
    Console logging: disabled
    Monitor logging: disabled
    Buffer logging: level debugging, 12640 messages logged
    Trap logging: disabled
    History logging: disabled
    Device ID: disabled
/443) to inside:192.168.10.101/2017 (220.30.40.10/2017)
302013: Built outbound TCP connection 994 for
outside:190.246.21.76/80 (190.246.21.76/80) to
inside:192.168.10.101/2018 (220.30.40.10/2018)
302013: Built outbound TCP connection 995 for
outside:195.208.219.30/45450 (195.208.219.30/45450) to
inside:192.168.10.101/2019 (220.30.40.10/2019)
302013: Built outbound TCP connection 996 for
outside:79.183.13.164/80 (79.183.13.164/80) to
inside:192.168.10.101/2020 (220.30.40.10/2020)
302013: Built outbound TCP connection 997 for
outside:195.208.219.30/443 (195.208.219.30/443) to
inside:192.168.10.101/2021 (220.30.40.10/2021)
302013: Built outbound TCP connection 998 for
```

outside:195.208.219.30/80 (195.208.219.30/80) to  
inside:192.168.10.101/2022 (220.30.40.10/2022)  
302010: 88 in use, 140 most used  
302013: Built outbound TCP connection 999 for  
outside:201.31.242.99/7490 (201.31.242.99/7490) to  
inside:192.168.10.101/2025 (220.30.40.10/2025)  
302013: Built outbound TCP connection 1000 for  
outside:220.152.100.185/16625 (220.152.100.185/16625) to  
inside:192.168.10.101/2026 (220.30.40.10/2026)  
302013: Built outbound TCP connection 1001 for  
outside:201.31.242.99/443 (201.31.242.99/443) to  
inside:192.168.10.101/2027 (220.30.40.10/2027)  
302013: Built outbound TCP connection 1002 for  
outside:69.205.101.234/1400 (69.205.101.234/1400) to  
inside:192.168.10.101/2028 (220.30.40.10/2028)  
302013: Built outbound TCP connection 1003 for  
outside:220.152.100.185/443 (220.152.100.185/443) to  
inside:192.168.10.101/2029 (220.30.40.10/2029)  
302013: Built outbound TCP connection 1004 for  
outside:222.225.45.44/59298 (222.225.45.44/59298) to  
inside:192.168.10.101/2030 (220.30.40.10/2030)  
302013: Built outbound TCP connection 1005 for  
outside:201.31.242.99/80 (201.31.242.99/80) to  
inside:192.168.10.101/2031 (220.30.40.10/2031)  
302013: Built outbound TCP connection 1006 for  
outside:69.205.101.234/443 (69.205.101.234/443) to  
inside:192.168.10.101/2032 (220.30.40.10/2032)  
302013: Built outbound TCP connection 1007 for  
outside:220.152.100.185/80 (220.152.100.185/80) to  
inside:192.168.10.101/2033 (220.30.40.10/2033)  
302013: Built outbound TCP connection 1008 for  
outside:222.225.45.44/443 (222.225.45.44/443) to  
inside:192.168.10.101/2034 (220.30.40.10/2034)  
302013: Built outbound TCP connection 1009 for  
outside:128.36.155.2/35140 (128.36.155.2/35140) to  
inside:192.168.10.101/2035 (220.30.40.10/2035)  
302013: Built outbound TCP connection 1010 for  
outside:69.205.101.234/80 (69.205.101.234/80) to  
inside:192.168.10.101/2036 (220.30.40.10/2036)  
302013: Built outbound TCP connection 1011 for  
outside:59.189.171.106/58162 (59.189.171.106/58162) to  
inside:192.168.10.101/2037 (220.30.40.10/2037)  
302013: Built outbound TCP connection 1012 for  
outside:222.225.45.44/80 (222.225.45.44/80) to  
inside:192.168.10.101/2038 (220.30.40.10/2038)  
302013: Built outbound TCP connection 1013 for  
outside:128.36.155.2/443 (128.36.155.2/443) to  
inside:192.168.10.101/2039 (220.30.40.10/2039)  
302013: Built outbound TCP connection 1014 for  
outside:59.189.171.106/443 (59.189.171.106/443) to  
inside:192.168.10.101/2040 (220.30.40.10/2040)  
302013: Built outbound TCP connection 1015 for  
outside:128.36.155.2/80 (128.36.155.2/80) to  
inside:192.168.10.101/2042 (220.30.40.10/2042)  
302013: Built outbound TCP connection 1016 for  
outside:74.141.18.255/7851 (74.141.18.255/7851) to  
inside:192.168.10.101/2043 (220.30.40.10/2043)  
302013: Built outbound TCP connection 1017 for  
outside:59.189.171.106/80 (59.189.171.106/80) to  
inside:192.168.10.101/2044 (220.30.40.10/2044)  
302013: Built outbound TCP connection 1018 for  
outside:74.141.18.255/443 (74.141.18.255/443) to  
inside:192.168.10.101/2045 (220.30.40.10/2045)  
302013: Built outbound TCP connection 1019 for

```
outside:74.141.18.255/80 (74.141.18.255/80) to
inside:192.168.10.101/2047 (220.30.40.10/2047)
302014: Teardown TCP connection 908 for outside:75.47.181.98/80 to
inside:192.168.10.101/1935 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 909 for outside:24.125.105.41/5548 to
inside:192.168.10.101/1936 duration 0:02:01 bytes 0 SYN Timeout
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
access-list acl_out permit ip any host 220.30.40.10
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 220.30.40.1 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
static (inside,outside) 220.30.40.10 192.168.10.101 netmask
255.255.255.255 0 0
access-group acl_out in interface outside
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
```

```
aaa-server RADIUS protocol radius
aaa-server LOCAL protocol local
no snmp-server location
no snmp-server contact
snmp-server community public
no snmp-server enable traps
floodguard enable
telnet timeout 5
ssh timeout 5
console timeout 0
dhcpd address 192.168.10.100-192.168.10.105 inside
dhcpd dns 151.99.125.2
dhcpd lease 3600
dhcpd ping_timeout 750
dhcpd enable inside
terminal width 80
Cryptochecksum:c28e93e5aa4c29d67dd630c5b34e6e5d
: end
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
    Facility: 20
    Timestamp logging: disabled
    Standby logging: disabled
    Console logging: disabled
    Monitor logging: disabled
    Buffer logging: level debugging, 13187 messages logged
    Trap logging: disabled
    History logging: disabled
    Device ID: disabled
6/443 (91.177.87.156/443) to inside:192.168.10.101/2269
(220.30.40.10/2269)
302014: Teardown TCP connection 1146 for outside:62.163.199.24/8178
to inside:192.168.10.101/2169 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 1147 for outside:89.74.24.20/443 to
inside:192.168.10.101/2170 duration 0:02:01 bytes 0 SYN Timeout
710005: UDP request discarded from 192.168.10.101/138 to
inside:192.168.10.255/netbios-dgm
302013: Built outbound TCP connection 1247 for
outside:87.118.167.241/80 (87.118.167.241/80) to
inside:192.168.10.101/2270 (220.30.40.10/2270)
302013: Built inbound TCP connection 1248 for
```



outside:220.30.40.100/1482 (220.30.40.100/1482) to  
inside:192.168.10.101/80 (220.30.40.10/80)  
304001: 220.30.40.100 Accessed URL 220.30.40.10:/index.htm  
302014: Teardown TCP connection 1248 for outside:220.30.40.100/1482  
to inside:192.168.10.101/80 duration 0:00:01 bytes 662 TCP FINs  
302013: Built outbound TCP connection 1249 for  
outside:87.110.130.213/443 (87.110.130.213/443) to  
inside:192.168.10.101/2271 (220.30.40.10/2271)  
302014: Teardown TCP connection 1148 for outside:62.163.199.24/443 to  
inside:192.168.10.101/2171 duration 0:02:01 bytes 0 SYN Timeout  
710005: UDP request discarded from 192.168.10.101/138 to  
inside:192.168.10.255/netbios-dgm  
302013: Built outbound TCP connection 1250 for  
outside:91.177.87.156/80 (91.177.87.156/80) to  
inside:192.168.10.101/2272 (220.30.40.10/2272)  
302014: Teardown TCP connection 1149 for outside:89.74.24.20/80 to  
inside:192.168.10.101/2172 duration 0:02:01 bytes 0 SYN Timeout  
710005: UDP request discarded from 192.168.10.101/138 to  
inside:192.168.10.255/netbios-dgm  
302013: Built outbound TCP connection 1251 for  
outside:85.28.92.72/26690 (85.28.92.72/26690) to  
inside:192.168.10.101/2273 (220.30.40.10/2273)  
302013: Built outbound TCP connection 1252 for  
outside:87.110.130.213/80 (87.110.130.213/80) to  
inside:192.168.10.101/2274 (220.30.40.10/2274)  
302014: Teardown TCP connection 1150 for outside:62.163.199.24/80 to  
inside:192.168.10.101/2173 duration 0:02:01 bytes 0 SYN Timeout  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
302013: Built outbound TCP connection 1253 for  
outside:81.102.136.151/2861 (81.102.136.151/2861) to  
inside:192.168.10.101/2275 (220.30.40.10/2275)  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
302013: Built outbound TCP connection 1254 for  
outside:85.28.92.72/443 (85.28.92.72/443) to  
inside:192.168.10.101/2276 (220.30.40.10/2276)  
302013: Built inbound TCP connection 1255 for  
outside:220.30.40.100/1483 (220.30.40.100/1483) to  
inside:192.168.10.101/80 (220.30.40.10/80)  
304001: 220.30.40.100 Accessed URL 220.30.40.10:/index.html  
302014: Teardown TCP connection 1255 for outside:220.30.40.100/1483  
to inside:192.168.10.101/80 duration 0:00:01 bytes 663 TCP FINs  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
302013: Built outbound TCP connection 1256 for  
outside:81.102.136.151/443 (81.102.136.151/443) to  
inside:192.168.10.101/2277 (220.30.40.10/2277)  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
302013: Built outbound TCP connection 1257 for outside:85.28.92.72/80  
(85.28.92.72/80) to inside:192.168.10.101/2278 (220.30.40.10/2278)  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
302013: Built outbound TCP connection 1258 for  
outside:81.102.136.151/80 (81.102.136.151/80) to  
inside:192.168.10.101/2279 (220.30.40.10/2279)  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
710005: UDP request discarded from 192.168.10.101/137 to  
inside:192.168.10.255/netbios-ns  
710005: UDP request discarded from 192.168.10.101/138 to

```
inside:192.168.10.255/netbios-dgm
710005: UDP request discarded from 192.168.10.101/138 to
inside:192.168.10.255/netbios-dgm
710005: UDP request discarded from 192.168.10.101/138 to
inside:192.168.10.255/netbios-dgm
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
access-list acl_out permit ip any host 220.30.40.10
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 220.30.40.1 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
static (inside,outside) 220.30.40.10 192.168.10.101 netmask
255.255.255.255 0 0
access-group acl_out in interface outside
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
```

```
aaa-server LOCAL protocol local
no snmp-server location
no snmp-server contact
snmp-server community public
no snmp-server enable traps
floodguard enable
telnet timeout 5
ssh timeout 5
console timeout 0
dhcpd address 192.168.10.100-192.168.10.105 inside
dhcpd dns 151.99.125.2
dhcpd lease 3600
dhcpd ping_timeout 750
dhcpd enable inside
terminal width 80
Cryptochecksum:c28e93e5aa4c29d67dd630c5b34e6e5d
: end
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# wr mem
Building configuration...
Cryptochecksum: c28e93e5 aa4c29d6 7dd630c5 b34e6e5d
[OK]
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
  Facility: 20
  Timestamp logging: disabled
  Standby logging: disabled
  Console logging: disabled
  Monitor logging: disabled
  Buffer logging: level debugging, 15101 messages logged
  Trap logging: disabled
  History logging: disabled
  Device ID: disabled
1298)
302014: Teardown TCP connection 2051 for outside:86.16.241.20/80 to
inside:192.168.10.101/1197 duration 0:02:02 bytes 0 SYN Timeout
302014: Teardown TCP connection 2052 for outside:188.24.201.79/443 to
inside:192.168.10.101/1198 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2053 for
outside:217.162.145.127/37521 to inside:192.168.10.101/1199 duration
0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2154 for
outside:82.143.219.55/45751 (82.143.219.55/45751) to
inside:192.168.10.101/1299 (220.30.40.10/1299)
302013: Built outbound TCP connection 2155 for
outside:88.189.32.109/443 (88.189.32.109/443) to
inside:192.168.10.101/1300 (220.30.40.10/1300)
302014: Teardown TCP connection 2054 for outside:188.24.201.79/80 to
inside:192.168.10.101/1200 duration 0:02:01 bytes 0 SYN Timeout
302013: Built inbound TCP connection 2156 for
outside:220.30.40.100/1485 (220.30.40.100/1485) to
inside:192.168.10.101/80 (220.30.40.10/80)
```

```
304001: 220.30.40.100 Accessed URL 220.30.40.10:/index.html
302014: Teardown TCP connection 2156 for outside:220.30.40.100/1485
to inside:192.168.10.101/80 duration 0:00:01 bytes 663 TCP FINs
302013: Built outbound TCP connection 2157 for
outside:82.143.219.55/443 (82.143.219.55/443) to
inside:192.168.10.101/1301 (220.30.40.10/1301)
302014: Teardown TCP connection 2055 for outside:217.162.145.127/443
to inside:192.168.10.101/1201 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2056 for outside:88.187.120.40/37864
to inside:192.168.10.101/1202 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2158 for
outside:81.164.183.239/48473 (81.164.183.239/48473) to
inside:192.168.10.101/1302 (220.30.40.10/1302)
302013: Built outbound TCP connection 2159 for
outside:88.189.32.109/80 (88.189.32.109/80) to
inside:192.168.10.101/1303 (220.30.40.10/1303)
302014: Teardown TCP connection 2057 for outside:217.162.145.127/80
to inside:192.168.10.101/1203 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2160 for
outside:82.143.219.55/80 (82.143.219.55/80) to
inside:192.168.10.101/1304 (220.30.40.10/1304)
302013: Built outbound TCP connection 2161 for
outside:81.164.183.239/443 (81.164.183.239/443) to
inside:192.168.10.101/1305 (220.30.40.10/1305)
302013: Built outbound TCP connection 2162 for
outside:87.114.23.94/47595 (87.114.23.94/47595) to
inside:192.168.10.101/1306 (220.30.40.10/1306)
302014: Teardown TCP connection 2058 for outside:88.187.120.40/443 to
inside:192.168.10.101/1204 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2059 for outside:88.80.110.22/52481
to inside:192.168.10.101/1205 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2060 for outside:88.187.120.40/80 to
inside:192.168.10.101/1206 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2163 for
outside:81.164.183.239/80 (81.164.183.239/80) to
inside:192.168.10.101/1307 (220.30.40.10/1307)
302013: Built outbound TCP connection 2164 for
outside:87.114.23.94/443 (87.114.23.94/443) to
inside:192.168.10.101/1308 (220.30.40.10/1308)
302013: Built outbound TCP connection 2165 for
outside:82.23.218.72/25300 (82.23.218.72/25300) to
inside:192.168.10.101/1309 (220.30.40.10/1309)
302014: Teardown TCP connection 2061 for outside:88.80.110.22/443 to
inside:192.168.10.101/1207 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2062 for outside:88.80.110.22/80 to
inside:192.168.10.101/1208 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2166 for
outside:87.114.23.94/80 (87.114.23.94/80) to
inside:192.168.10.101/1310 (220.30.40.10/1310)
302013: Built outbound TCP connection 2167 for
outside:82.23.218.72/443 (82.23.218.72/443) to
inside:192.168.10.101/1311 (220.30.40.10/1311)
302013: Built outbound TCP connection 2168 for
outside:85.84.196.90/32029 (85.84.196.90/32029) to
inside:192.168.10.101/1312 (220.30.40.10/1312)
302013: Built outbound TCP connection 2169 for
outside:82.23.218.72/80 (82.23.218.72/80) to
inside:192.168.10.101/1313 (220.30.40.10/1313)
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# ping 220.30.40.100
    220.30.40.100 response received -- 0ms
```

```
220.30.40.100 response received -- 0ms
220.30.40.100 response received -- 0ms
pixfirewall(config)# sh log
Syslog logging: enabled
  Facility: 20
  Timestamp logging: disabled
  Standby logging: disabled
  Console logging: disabled
  Monitor logging: disabled
  Buffer logging: level debugging, 15196 messages logged
  Trap logging: disabled
  History logging: disabled
  Device ID: disabled
13: Built outbound TCP connection 2199 for outside:87.5.197.145/443
(87.5.197.145/443) to inside:192.168.10.101/1343 (220.30.40.10/1343)
302013: Built outbound TCP connection 2200 for
outside:213.118.145.85/57211 (213.118.145.85/57211) to
inside:192.168.10.101/1344 (220.30.40.10/1344)
302014: Teardown TCP connection 2097 for outside:89.215.39.110/443 to
inside:192.168.10.101/1243 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2098 for outside:85.86.97.41/48811 to
inside:192.168.10.101/1244 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2201 for
outside:85.178.129.118/80 (85.178.129.118/80) to
inside:192.168.10.101/1345 (220.30.40.10/1345)
302014: Teardown TCP connection 2099 for outside:89.215.39.110/80 to
inside:192.168.10.101/1245 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2202 for
outside:87.5.197.145/80 (87.5.197.145/80) to
inside:192.168.10.101/1346 (220.30.40.10/1346)
302013: Built outbound TCP connection 2203 for
outside:213.118.145.85/443 (213.118.145.85/443) to
inside:192.168.10.101/1347 (220.30.40.10/1347)
302013: Built outbound TCP connection 2204 for
outside:147.52.73.92/57824 (147.52.73.92/57824) to
inside:192.168.10.101/1348 (220.30.40.10/1348)
302014: Teardown TCP connection 2100 for outside:85.86.97.41/443 to
inside:192.168.10.101/1246 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2101 for
outside:213.231.141.139/38635 to inside:192.168.10.101/1247 duration
0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2102 for outside:85.86.97.41/80 to
inside:192.168.10.101/1248 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2205 for
outside:213.118.145.85/80 (213.118.145.85/80) to
inside:192.168.10.101/1349 (220.30.40.10/1349)
302013: Built outbound TCP connection 2206 for
outside:147.52.73.92/443 (147.52.73.92/443) to
inside:192.168.10.101/1350 (220.30.40.10/1350)
310005: UDP request discarded from 192.168.10.101/138 to
inside:192.168.10.255/netbios-dgm
302013: Built outbound TCP connection 2221 for
outside:84.22.24.21/443 (84.22.24.21/443) to
inside:192.168.10.101/1364 (220.30.40.10/1364)
302014: Teardown TCP connection 2117 for outside:92.3.49.116/80 to
inside:192.168.10.101/1263 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2118 for outside:84.238.90.87/443 to
inside:192.168.10.101/1264 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2222 for
outside:76.195.234.155/32795 (76.195.234.155/32795) to
inside:192.168.10.101/1365 (220.30.40.10/1365)
302013: Built outbound TCP connection 2223 for
outside:130.237.43.84/80 (130.237.43.84/80) to
inside:192.168.10.101/1366 (220.30.40.10/1366)
```

302014: Teardown TCP connection 2119 for outside:86.52.84.243/56629 to inside:192.168.10.101/1265 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 2224 for outside:84.22.24.21/80 (84.22.24.21/80) to inside:192.168.10.101/1367 (220.30.40.10/1367)  
302013: Built outbound TCP connection 2225 for outside:76.195.234.155/443 (76.195.234.155/443) to inside:192.168.10.101/1368 (220.30.40.10/1368)  
302014: Teardown TCP connection 2120 for outside:84.238.90.87/80 to inside:192.168.10.101/1266 duration 0:02:01 bytes 0 SYN Timeout  
302014: Teardown TCP connection 2121 for outside:86.52.84.243/443 to inside:192.168.10.101/1267 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 2226 for outside:203.77.46.228/37022 (203.77.46.228/37022) to inside:192.168.10.101/1369 (220.30.40.10/1369)

Ns

302014: Teardown TCP connection 2105 for outside:212.5.38.150/31508 to inside:192.168.10.101/1251 duration 0:02:01 bytes 0 SYN Timeout  
302014: Teardown TCP connection 2106 for outside:212.5.38.150/443 to inside:192.168.10.101/1252 duration 0:02:01 bytes 0 SYN Timeout  
302014: Teardown TCP connection 2107 for outside:81.66.170.212/51964 to inside:192.168.10.101/1253 duration 0:02:01 bytes 0 SYN Timeout  
302014: Teardown TCP connection 2108 for outside:212.5.38.150/80 to inside:192.168.10.101/1254 duration 0:02:01 bytes 0 SYN Timeout  
pixfirewall(config)# sh log

Syslog logging: enabled

Facility: 20

Timestamp logging: disabled

Standby logging: disabled

Console logging: disabled

Monitor logging: disabled

Buffer logging: level debugging, 15377 messages logged

Trap logging: disabled

History logging: disabled

Device ID: disabled

20.30.40.10/1429)

302013: Built outbound TCP connection 2287 for outside:79.119.29.19/14559 (79.119.29.19/14559) to inside:192.168.10.101/1430 (220.30.40.10/1430)  
302013: Built outbound TCP connection 2288 for outside:125.200.98.243/80 (125.200.98.243/80) to inside:192.168.10.101/1431 (220.30.40.10/1431)  
302014: Teardown TCP connection 2185 for outside:80.41.133.69/443 to inside:192.168.10.101/1329 duration 0:02:01 bytes 0 SYN Timeout  
302014: Teardown TCP connection 2186 for outside:85.24.93.52/2142 to inside:192.168.10.101/1330 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 2289 for outside:220.253.43.86/80 (220.253.43.86/80) to inside:192.168.10.101/1432 (220.30.40.10/1432)  
302014: Teardown TCP connection 2187 for outside:80.41.133.69/80 to inside:192.168.10.101/1331 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 2290 for outside:79.119.29.19/443 (79.119.29.19/443) to inside:192.168.10.101/1433 (220.30.40.10/1433)  
302013: Built outbound TCP connection 2291 for outside:189.105.232.11/23276 (189.105.232.11/23276) to inside:192.168.10.101/1434 (220.30.40.10/1434)  
302014: Teardown TCP connection 2188 for outside:85.24.93.52/443 to inside:192.168.10.101/1332 duration 0:02:01 bytes 0 SYN Timeout  
302014: Teardown TCP connection 2189 for outside:92.228.24.213/56665 to inside:192.168.10.101/1333 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 2292 for outside:79.119.29.19/80 (79.119.29.19/80) to inside:192.168.10.101/1435 (220.30.40.10/1435)  
302014: Teardown TCP connection 2190 for outside:85.24.93.52/80 to

```
inside:192.168.10.101/1334 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2293 for
outside:189.105.232.11/443 (189.105.232.11/443) to
inside:192.168.10.101/1436 (220.30.40.10/1436)
302013: Built outbound TCP connection 2294 for
outside:115.165.100.237/54592 (115.165.100.237/54592) to
inside:192.168.10.101/1437 (220.30.40.10/1437)
302014: Teardown TCP connection 2191 for outside:92.228.24.213/443 to
inside:192.168.10.101/1335 duration 0:02:01 bytes 0 SYN Timeout
302013: Built inbound TCP connection 2295 for
outside:220.30.40.100/1487 (220.30.40.100/1487) to
inside:192.168.10.101/80 (220.30.40.10/80)
304001: 220.30.40.100 Accessed URL 220.30.40.10:/index.html
302014: Teardown TCP connection 2295 for outside:220.30.40.100/1487
to inside:192.168.10.101/80 duration 0:00:01 bytes 663 TCP FINs
302013: Built outbound TCP connection 2296 for
outside:189.105.232.11/80 (189.105.232.11/80) to
inside:192.168.10.101/1438 (220.30.40.10/1438)
302014: Teardown TCP connection 2192 for outside:92.228.24.213/80 to
inside:192.168.10.101/1336 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2297 for
outside:115.165.100.237/443 (115.165.100.237/443) to
inside:192.168.10.101/1439 (220.30.40.10/1439)
302013: Built outbound TCP connection 2298 for
outside:84.229.64.201/4240 (84.229.64.201/4240) to
inside:192.168.10.101/1440 (220.30.40.10/1440)
3d TCP connection 2311 for outside:75.143.233.70/443
(75.143.233.70/443) to inside:192.168.10.101/1451 (220.30.40.10/1451)
302014: Teardown TCP connection 2207 for outside:83.23.235.146/23422
to inside:192.168.10.101/1351 duration 0:02:02 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2312 for
outside:85.250.86.19/49478 (85.250.86.19/49478) to
inside:192.168.10.101/1452 (220.30.40.10/1452)
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
```

```
access-list aclnavig deny ip host 192.168.10.100 any
access-list acl_out permit ip any host 220.30.40.10
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 220.30.40.1 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
static (inside,outside) 220.30.40.10 192.168.10.101 netmask
255.255.255.255 0 0
access-group acl_out in interface outside
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
aaa-server LOCAL protocol local
pixfirewall(config)# no access-group acl_out in interface outside
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
  Facility: 20
  Timestamp logging: disabled
  Standby logging: disabled
  Console logging: disabled
  Monitor logging: disabled
  Buffer logging: level debugging, 15791 messages logged
  Trap logging: disabled
  History logging: disabled
  Device ID: disabled
ide:192.168.10.101/1542 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2477 for
outside:91.89.120.38/21004 (91.89.120.38/21004) to
inside:192.168.10.101/1612 (220.30.40.10/1612)
302014: Teardown TCP connection 2403 for outside:189.122.5.152/80 to
inside:192.168.10.101/1543 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2404 for outside:61.204.108.146/443
to inside:192.168.10.101/1544 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2478 for
outside:90.231.157.128/27579 (90.231.157.128/27579) to
inside:192.168.10.101/1613 (220.30.40.10/1613)
302013: Built outbound TCP connection 2479 for
outside:91.89.120.38/443 (91.89.120.38/443) to
inside:192.168.10.101/1614 (220.30.40.10/1614)
302014: Teardown TCP connection 2405 for
outside:114.163.228.193/44852 to inside:192.168.10.101/1545 duration
0:02:02 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2480 for
```



outside:141.30.216.104/6487 (141.30.216.104/6487) to  
inside:192.168.10.101/1615 (220.30.40.10/1615)  
111008: User 'enable\_15' executed the 'no access-group acl\_out in  
interface outside' command.  
302013: Built outbound TCP connection 2481 for  
outside:90.231.157.128/443 (90.231.157.128/443) to  
inside:192.168.10.101/1616 (220.30.40.10/1616)  
302014: Teardown TCP connection 2406 for outside:61.204.108.146/80 to  
inside:192.168.10.101/1546 duration 0:02:01 bytes 0 SYN Timeout  
302014: Teardown TCP connection 2407 for outside:114.163.228.193/443  
to inside:192.168.10.101/1547 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 2482 for  
outside:82.244.201.31/7450 (82.244.201.31/7450) to  
inside:192.168.10.101/1617 (220.30.40.10/1617)  
302013: Built outbound TCP connection 2483 for  
outside:91.89.120.38/80 (91.89.120.38/80) to  
inside:192.168.10.101/1618 (220.30.40.10/1618)  
302013: Built outbound TCP connection 2484 for  
outside:141.30.216.104/443 (141.30.216.104/443) to  
inside:192.168.10.101/1619 (220.30.40.10/1619)  
302013: Built outbound TCP connection 2485 for  
outside:89.112.98.191/4905 (89.112.98.191/4905) to  
inside:192.168.10.101/1620 (220.30.40.10/1620)  
302013: Built outbound TCP connection 2486 for  
outside:90.231.157.128/80 (90.231.157.128/80) to  
inside:192.168.10.101/1621 (220.30.40.10/1621)  
302013: Built outbound TCP connection 2487 for  
outside:82.244.201.31/443 (82.244.201.31/443) to  
inside:192.168.10.101/1622 (220.30.40.10/1622)  
302014: Teardown TCP connection 2408 for outside:114.163.228.193/80  
to inside:192.168.10.101/1548 duration 0:02:01 bytes 0 SYN Timeout  
302013: Built outbound TCP connection 2488 for  
outside:141.30.216.104/80 (141.30.216.104/80) to  
inside:192.168.10.101/1623 (220.30.40.10/1623)  
302013: Built outbound TCP connection 2489 for  
outside:89.112.98.191/443 (89.112.98.191/443) to  
inside:192.168.10.101/1624 (220.30.40.10/1624)  
302013: Built outbound TCP connection 2490 for  
outside:88.213.185.74/62151 (88.213.185.74/62151) to  
inside:192.168.10.101/1625 (220.30.40.10/1625)  
302013: Built outbound TCP connection 2491 for  
outside:82.244.201.31/80 (82.244.201.31/80) to  
inside:192.168.10.101/1626 (220.30.40.10/1626)  
302013: Built outbound TCP connection 2492 for  
outside:89.112.98.191/80 (89.112.98.191/80) to  
inside:192.168.10.101/1627 (220.30.40.10/1627)  
302013: Built outbound TCP connection 2493 for  
outside:88.213.185.74/443 (88.213.185.74/443) to  
inside:192.168.10.101/1628 (220.30.40.10/1628)  
302013: Built outbound TCP connection 2494 for  
outside:88.112.220.85/62741 (88.112.220.85/62741) to  
inside:192.168.10.101/1629 (220.30.40.10/1629)  
302013: Built outbound TCP connection 2495 for  
outside:88.213.185.74/80 (88.213.185.74/80) to  
inside:192.168.10.101/1630 (220.30.40.10/1630)  
302013: Built outbound TCP connection 2496 for  
outside:88.112.220.85/443 (88.112.220.85/443) to  
inside:192.168.10.101/1631 (220.30.40.10/1631)  
302013: Built outbound TCP connection 2497 for  
outside:88.112.220.85/80 (88.112.220.85/80) to  
inside:192.168.10.101/1632 (220.30.40.10/1632)  
106001: Inbound TCP connection denied from 220.30.40.100/1490 to  
220.30.40.10/80 flags SYN on interface outside  
pixfirewall(config)# access-group acl\_out in interface outside

```
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
  Facility: 20
  Timestamp logging: disabled
  Standby logging: disabled
  Console logging: disabled
  Monitor logging: disabled
  Buffer logging: level debugging, 16187 messages logged
  Trap logging: disabled
  History logging: disabled
  Device ID: disabled
onnection 2682 for outside:88.189.32.109/80 (88.189.32.109/80) to
inside:192.168.10.101/1837 (220.30.40.10/1837)
302013: Built outbound TCP connection 2683 for
outside:81.164.183.239/443 (81.164.183.239/443) to
inside:192.168.10.101/1838 (220.30.40.10/1838)
302013: Built outbound TCP connection 2684 for
outside:82.249.162.113/59047 (82.249.162.113/59047) to
inside:192.168.10.101/1839 (220.30.40.10/1839)
302014: Teardown TCP connection 2581 for outside:81.66.170.212/80 to
inside:192.168.10.101/1716 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2685 for
outside:81.164.183.239/80 (81.164.183.239/80) to
inside:192.168.10.101/1840 (220.30.40.10/1840)
302013: Built outbound TCP connection 2686 for
outside:82.249.162.113/443 (82.249.162.113/443) to
inside:192.168.10.101/1841 (220.30.40.10/1841)
302013: Built outbound TCP connection 2687 for
outside:82.249.162.113/80 (82.249.162.113/80) to
inside:192.168.10.101/1842 (220.30.40.10/1842)
111008: User 'enable_15' executed the 'access-group acl_out in
interface outside' command.
710005: UDP request discarded from 192.168.10.101/138 to
inside:192.168.10.255/netbios-dgm
302014: Teardown TCP connection 2582 for outside:91.177.87.156/13392
to inside:192.168.10.101/1717 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2583 for outside:91.177.87.156/443 to
inside:192.168.10.101/1718 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2584 for outside:86.16.241.20/61213
to inside:192.168.10.101/1719 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2688 for
outside:90.1.183.65/58823 (90.1.183.65/58823) to
inside:192.168.10.101/1843 (220.30.40.10/1843)
302014: Teardown TCP connection 2585 for outside:88.187.120.40/37864
to inside:192.168.10.101/1720 duration 0:02:01 bytes 0 SYN Timeout
3rd TCP connection 2703 for outside:89.212.219.106/80
(89.212.219.106/80) to inside:192.168.10.101/1857 (220.30.40.10/1857)
302014: Teardown TCP connection 2600 for outside:82.43.219.208/80 to
inside:192.168.10.101/1736 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2704 for
outside:85.178.129.118/80 (85.178.129.118/80) to
inside:192.168.10.101/1858 (220.30.40.10/1858)
302013: Built outbound TCP connection 2705 for
outside:89.252.202.135/443 (89.252.202.135/443) to
inside:192.168.10.101/1859 (220.30.40.10/1859)
302014: Teardown TCP connection 2601 for outside:87.118.167.241/443
to inside:192.168.10.101/1737 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2602 for outside:87.118.167.241/80 to
inside:192.168.10.101/1738 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2706 for
outside:213.118.145.85/57211 (213.118.145.85/57211) to
```

```
inside:192.168.10.101/1860 (220.30.40.10/1860)
302013: Built outbound TCP connection 2707 for
outside:89.252.202.135/80 (89.252.202.135/80) to
inside:192.168.10.101/1861 (220.30.40.10/1861)
302013: Built outbound TCP connection 2708 for
outside:213.118.145.85/443 (213.118.145.85/443) to
inside:192.168.10.101/1862 (220.30.40.10/1862)
302013: Built outbound TCP connection 2709 for
outside:213.118.145.85/80 (213.118.145.85/80) to
inside:192.168.10.101/1863 (220.30.40.10/1863)
302014: Teardown TCP connection 2604 for outside:85.28.92.72/26690 to
inside:192.168.10.101/1748 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2605 for outside:85.28.92.72/443 to
inside:192.168.10.101/1752 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2710 for
outside:87.2.179.50/14865 (87.2.179.50/14865) to
inside:192.168.10.101/1864 (220.30.40.10/1864)
302014: Teardown TCP connection 2606 for outside:92.3.49.116/12590 to
inside:192.168.10.101/1755 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2607 for outside:87.110.130.213/12274
to inside:192.168.10.101/1760 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2608 for outside:85.28.92.72/80 to
inside:192.168.10.101/1762 duration 0:02:01 bytes 0 SYN Timeout
pixfirewall(config)# connection 2609 for outside:92.3.
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh log
Syslog logging: enabled
    Facility: 20
    Timestamp logging: disabled
    Standby logging: disabled
    Console logging: disabled
    Monitor logging: disabled
    Buffer logging: level debugging, 16300 messages logged
    Trap logging: disabled
    History logging: disabled
    Device ID: disabled
:192.168.10.101/1790 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2636 for outside:212.5.38.150/80 to
inside:192.168.10.101/1791 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2737 for
outside:76.195.234.155/32795 (76.195.234.155/32795) to
inside:192.168.10.101/1891 (220.30.40.10/1891)
302013: Built outbound TCP connection 2738 for
outside:84.22.24.21/443 (84.22.24.21/443) to
inside:192.168.10.101/1892 (220.30.40.10/1892)
302014: Teardown TCP connection 2637 for outside:89.235.213.45/443 to
inside:192.168.10.101/1792 duration 0:02:02 bytes 0 SYN Timeout
302014: Teardown TCP connection 2638 for outside:86.52.84.243/56629
to inside:192.168.10.101/1793 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2639 for outside:89.215.39.110/80 to
inside:192.168.10.101/1794 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2739 for
outside:77.236.187.239/25198 (77.236.187.239/25198) to
inside:192.168.10.101/1893 (220.30.40.10/1893)
302013: Built outbound TCP connection 2740 for
outside:130.237.43.84/80 (130.237.43.84/80) to
inside:192.168.10.101/1894 (220.30.40.10/1894)
302013: Built outbound TCP connection 2741 for
outside:76.195.234.155/443 (76.195.234.155/443) to
inside:192.168.10.101/1895 (220.30.40.10/1895)
302014: Teardown TCP connection 2640 for outside:89.235.213.45/80 to
inside:192.168.10.101/1795 duration 0:02:01 bytes 0 SYN Timeout
```

```
302013: Built outbound TCP connection 2742 for outside:84.22.24.21/80
(84.22.24.21/80) to inside:192.168.10.101/1896 (220.30.40.10/1896)
302013: Built outbound TCP connection 2743 for
outside:77.236.187.239/443 (77.236.187.239/443) to
inside:192.168.10.101/1897 (220.30.40.10/1897)
302014: Teardown TCP connection 2641 for outside:86.52.84.243/443 to
inside:192.168.10.101/1796 duration 0:02:02 bytes 0 SYN Timeout
347.181.98/80) to inside:192.168.10.101/1910 (220.30.40.10/1910)
302013: Built outbound TCP connection 2759 for
outside:98.180.1.88/443 (98.180.1.88/443) to
inside:192.168.10.101/1911 (220.30.40.10/1911)
302013: Built outbound TCP connection 2760 for
outside:216.129.179.185/45560 (216.129.179.185/45560) to
inside:192.168.10.101/1912 (220.30.40.10/1912)
302014: Teardown TCP connection 2657 for outside:91.148.130.149/80 to
inside:192.168.10.101/1812 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2658 for outside:147.156.140.239/443
to inside:192.168.10.101/1813 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2761 for
outside:59.127.133.187/443 (59.127.133.187/443) to
inside:192.168.10.101/1913 (220.30.40.10/1913)
302013: Built outbound TCP connection 2762 for
outside:24.185.183.122/58962 (24.185.183.122/58962) to
inside:192.168.10.101/1914 (220.30.40.10/1914)
302013: Built outbound TCP connection 2763 for outside:98.180.1.88/80
(98.180.1.88/80) to inside:192.168.10.101/1915 (220.30.40.10/1915)
302014: Teardown TCP connection 2659 for outside:88.107.175.118/26694
to inside:192.168.10.101/1814 duration 0:02:01 bytes 0 SYN Timeout
302014: Teardown TCP connection 2660 for outside:89.230.43.122/80 to
inside:192.168.10.101/1815 duration 0:02:01 bytes 0 SYN Timeout
302013: Built outbound TCP connection 2764 for
outside:216.129.179.185/443 (216.129.179.185/443) to
inside:192.168.10.101/1916 (220.30.40.10/1916)
302013: Built outbound TCP connection 2765 for
outside:59.127.133.187/80 (59.127.133.187/80) to
inside:192.168.10.101/1917 (220.30.40.10/1917)
pixfirewall(config)#
pixfirewall(config)# sh run
: Saved
:
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
access-list acl_out permit ip any host 220.30.40.10
```

```
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 220.30.40.1 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
static (inside,outside) 220.30.40.10 192.168.10.101 netmask
255.255.255.255 0 0
access-group acl_out in interface outside
route outside 0.0.0.0 0.0.0.0 137.204.58.254 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 rpc 0:10:00 h225
1:00:00
timeout h323 0:05:00 mgcp 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
aaa-server LOCAL protocol local
no snmp-server location
no snmp-server contact
snmp-server community public
no snmp-server enable traps
floodguard enable
telnet timeout 5
ssh timeout 5
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh xlate
1 in use, 217 most used
Global 220.30.40.10 Local 192.168.10.101
pixfirewall(config)# sh xlate
1 in use, 217 most used
Global 220.30.40.10 Local 192.168.10.101
pixfirewall(config)# sh xlate
1 in use, 217 most used
Global 220.30.40.10 Local 192.168.10.101
pixfirewall(config)# sh xlate
1 in use, 217 most used
Global 220.30.40.10 Local 192.168.10.101
pixfirewall(config)# sh xlate
1 in use, 217 most used
Global 220.30.40.10 Local 192.168.10.101
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# sh conf
: Saved
: Written by enable_15 at 14:15:51.057 UTC Fri Jun 19 2009
PIX Version 6.3(3)
interface ethernet0 100full
interface ethernet1 100full
nameif ethernet0 outside security0
nameif ethernet1 inside security100
enable password 8Ry2YjIyt7RRXU24 encrypted
```

```
passwd 2KFQnbNIdI.2KYOU encrypted
hostname pixfirewall
fixup protocol dns maximum-length 512
fixup protocol ftp 21
fixup protocol h323 h225 1720
fixup protocol h323 ras 1718-1719
fixup protocol http 80
fixup protocol rsh 514
fixup protocol rtsp 554
fixup protocol sip 5060
fixup protocol sip udp 5060
fixup protocol skinny 2000
fixup protocol smtp 25
fixup protocol sqlnet 1521
fixup protocol tftp 69
names
access-list aclnavig deny ip host 192.168.10.100 any
access-list acl_out permit ip any host 220.30.40.10
pager lines 24
logging on
logging buffered debugging
icmp permit any outside
icmp permit any inside
mtu outside 1500
mtu inside 1500
ip address outside 220.30.40.1 255.255.255.0
ip address inside 192.168.10.254 255.255.255.0
ip audit info action alarm
ip audit attack action alarm
pdm history enable
arp timeout 14400
global (outside) 10 interface
nat (inside) 10 0.0.0.0 0.0.0.0 0 0
static (inside,outside) 220.30.40.10 192.168.10.101 netmask
255.255.255.255 0 0
access-group acl_out in interface outside
pixfirewall(config)# ip address outside 137.204.58.43 255.255.255.0
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# ping 151.1.1.1
    151.1.1.1 response received -- 30ms
    151.1.1.1 response received -- 20ms
    151.1.1.1 response received -- 90ms
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)#
pixfirewall(config)# wr mem
Building configuration...
Cryptochecksum: 9358e6e4 234736b1 00031c9b 2b92bbca
[OK]
pixfirewall(config)# exit
pixfirewall# exit
```

Logoff

Type help or '?' for a list of available commands.